

01

Am

✓

✓

✓

✓

✓

4

```

<element name="unidadesMtx" type="int" maxOccurs="1"
  minOccurs="0"></element>
<element name="codigoMtx" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="codigo" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="descripcion" type="string" maxOccurs="1"
  minOccurs="1"></element>
<element name="cantidad" type="tns:DecimalSimpleType"
  maxOccurs="1" minOccurs="0"></element>
<element name="codigoUnidadMedida" type="short"
  maxOccurs="1" minOccurs="1"></element>
<element name="precioUnitario"
  type="tns:DecimalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="porcentajeBaseIVA"
  type="tns:PorcentajeSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="porcentajeBonificacion"
  type="tns:PorcentajeSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeBonificacion"
  type="tns:DecimalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="codigoCondicionIVA" type="short"
  maxOccurs="1" minOccurs="1"></element>
<element name="porcentajeIVA"
  type="tns:PorcentajeSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeIVA"
  type="tns:ImporteSubtotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeItem"
  type="tns:ImporteSubtotalSimpleType" maxOccurs="1"
  minOccurs="1"></element>
</sequence>
</complexType>

<complexType name="ArrayItemsNFType">
  <sequence>
    <element name="item" type="tns:ItemNFType"
      maxOccurs="unbounded" minOccurs="1"></element>
  </sequence>
</complexType>

<complexType name="ItemNFType">
  <sequence>
    <element name="unidadesMtx" type="int" maxOccurs="1"
      minOccurs="0"></element>
    <element name="codigoMtx" type="string" maxOccurs="1"
      minOccurs="0"></element>
    <element name="codigo" type="string" maxOccurs="1"
      minOccurs="0"></element>
    <element name="descripcion" type="string" maxOccurs="1"
      minOccurs="1"></element>
    <element name="cantidad" type="tns:DecimalSimpleType"
      maxOccurs="1" minOccurs="0"></element>
  </sequence>

```

```

<element name="codigoUnidadMedida" type="short"
  maxOccurs="1" minOccurs="1"></element>
<element name="precioUnitario"
  type="tns:DecimalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="porcentajeBaseIVA"
  type="tns:PorcentajeSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="porcentajeBonificacion"
  type="tns:PorcentajeSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeBonificacion"
  type="tns:DecimalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="codigoCondicionIVA" type="short"
  maxOccurs="1" minOccurs="0"></element>
<element name="porcentajeIVA"
  type="tns:PorcentajeSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeIVA"
  type="tns:ImporteSubtotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeltem"
  type="tns:ImporteSubtotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
</sequence>
</complexType>

<complexType name="ArraySubtotalesIVAType">
  <sequence>
    <element name="subtotalIVA" type="tns:SubtotalIVAType"
      maxOccurs="unbounded" minOccurs="1"></element>
  </sequence>
</complexType>

<complexType name="SubtotalIVAType">
  <sequence>
    <element name="porcentajeIVA"
      type="tns:PorcentajeSimpleType" maxOccurs="1"
      minOccurs="1"></element>
    <element name="importe" type="tns:ImporteTotalSimpleType"
      maxOccurs="1" minOccurs="1"></element>
  </sequence>
</complexType>

<complexType name="ArrayOtrosTributosType">
  <sequence>
    <element name="otroTributo" type="tns:OtroTributoType"
      maxOccurs="unbounded" minOccurs="1"></element>
  </sequence>
</complexType>

<complexType name="OtroTributoType">
  <sequence>
    <element name="codigo" type="short" maxOccurs="1"
      minOccurs="1"></element>
    <element name="descripcion" type="string" maxOccurs="1"

```

```

        minOccurs="1"></element>
    <element name="baseImponible"
        type="tns:ImporteTotalSimpleType" maxOccurs="1"
        minOccurs="0"></element>
    <element name="importe" type="tns:ImporteTotalSimpleType"
        maxOccurs="1" minOccurs="1"></element>
</sequence>
</complexType>

<complexType name="ArrayTransportesType">
    <sequence>
        <element name="transporte" type="tns:TransporteType"
            maxOccurs="unbounded" minOccurs="1"></element>
    </sequence>
</complexType>

<complexType name="TransporteType">
    <sequence>
        <element name="numeroPagina" type="short" maxOccurs="1"
            minOccurs="1"></element>
        <element name="transporteInicial"
            type="tns:ImporteSubtotalSimpleType" maxOccurs="1"
            minOccurs="1"></element>
        <element name="transporteFinal"
            type="tns:ImporteSubtotalSimpleType" maxOccurs="1"
            minOccurs="1"></element>
    </sequence>
</complexType>

<complexType name="EmisorType">
    <sequence>
        <element name="nombreFantasiaEmisor" type="string"
            maxOccurs="1" minOccurs="0"></element>
        <element name="razonSocialEmisor" type="string"
            maxOccurs="1" minOccurs="1"></element>
        <element name="cuitEmisor" type="tns:CUITSimpleType"
            maxOccurs="1" minOccurs="1"></element>
        <element name="domicilioComercialEmisor" type="string"
            maxOccurs="1" minOccurs="1"></element>
        <element name="idImpositivoEmisor" type="short"
            maxOccurs="1" minOccurs="1"></element>
        <element name="iibb" type="string" maxOccurs="1"
            minOccurs="1"></element>
        <element name="fechaInicioActividades" type="date"
            maxOccurs="1" minOccurs="1"></element>
        <element name="numeroPuntoVenta"
            type="tns:NumeroPuntoVentaSimpleType" maxOccurs="1"
            minOccurs="1"></element>
    </sequence>
</complexType>

<complexType name="ControladorFiscalType">
    <sequence>
        <element name="codigoFabricacontrolador fiscal" type="string"
            maxOccurs="1" minOccurs="1"></element>
        <element name="codigoMarcacontrolador fiscal" type="string"
            maxOccurs="1"

```

```

        minOccurs="1"></element>
        <element name="codigoModelocontrolador fiscal" type="string"
          maxOccurs="1" minOccurs="1"></element>
        <element name="numeroSeriecontrolador fiscal" type="string"
          maxOccurs="1"
          minOccurs="1"></element>
        <element name="versionEquipo" type="string" maxOccurs="1"
          minOccurs="1"></element>
      </sequence>
    </complexType>
  </schema>

```

#### 4.2. CIERRE DIARIO

```

<?xml version="1.0" encoding="UTF-8"?>
<schema xmlns="http://www.w3.org/2001/XMLSchema"
  targetNamespace="http://ar.gob.afip.controladorfiscal/cierre_diario_z"
  xmlns:tns="http://ar.gob.afip.controladorfiscal/cierre_diario_z"
  elementFormDefault="unqualified" xmlns:afip="http://ar.gob.afip.controladorfiscal/afip">

  <import schemaLocation="afip.xsd"
    namespace="http://ar.gob.afip.controladorfiscal/afip"></import>

  <element name="informeZ" type="tns:InformeZType"></element>

  <complexType name="InformeZType">
    <sequence>
      <element name="emisor" type="afip:EmisorType"
        maxOccurs="1" minOccurs="1"></element>
      <element name="controladorFiscal"
        type="afip:ControladorFiscalType" maxOccurs="1"
        minOccurs="1"></element>
      <element name="codigoTipoInfRep"
        type="afip:TipoComprobanteSimpleType" maxOccurs="1"
        minOccurs="1"></element>
      <element name="fechaHoraEmisionInformeZ" type="dateTime"
        maxOccurs="1" minOccurs="1"></element>
      <element name="arrayCierresZ"
        type="tns:ArrayCierresZType" maxOccurs="1"
        minOccurs="1"></element>
    </sequence>
  </complexType>

  <complexType name="ArrayCierresZType">
    <sequence>
      <element name="cierreZ" type="tns:CierreZType"
        maxOccurs="unbounded" minOccurs="1"></element>
    </sequence>
  </complexType>

  <complexType name="CierreZType">
    <sequence>
      <element name="numeroZ" type="long" maxOccurs="1"
        minOccurs="1"></element>
      <element name="fechaHoraEmisionInformeZ" type="dateTime"

```

```

    maxOccurs="1" minOccurs="1"></element>
<element name="arrayConjuntosComprobantesFiscales"
  type="tns:ArrayConjuntosComprobantesFiscalesType"
  maxOccurs="1" minOccurs="0"></element>
<element name="cantidadComprobantesFiscales" type="long"
  maxOccurs="1" minOccurs="0"></element>
  <element name="totalGravadoComprobantesFiscales"
  type="afip:ImporteSubtotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
  <element name="totalNoGravadoComprobantesFiscales"
  type="afip:ImporteSubtotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
  <element name="totalExentoComprobantesFiscales"
  type="afip:ImporteSubtotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="arraySubtotalesIVA"
  type="afip:ArraySubtotalesIVAType" maxOccurs="1"
  minOccurs="0"></element>
<element name="arrayOtrosTributos"
  type="tns:ArrayOtrosTributosSinDetalleType" maxOccurs="1"
  minOccurs="0"></element>
  <element name="totalDescuentosCod99ComprobantesFiscales"
  type="afip:ImporteSubtotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeTotalComprobantesFiscales"
  type="afip:ImporteSubtotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="cantidadComprobantesCancelados"
  type="long" maxOccurs="1" minOccurs="0"></element>
<element name="arrayConjuntosComprobantesNoFiscHomo"
  type="tns:ArrayConjuntosComprobantesNoFiscHomoType"
  maxOccurs="1" minOccurs="0"></element>
  <element name="importeFinalComprobantesNoFiscHomo"
  type="afip:ImporteTotalSimpleType" maxOccurs="1"
  minOccurs="1"></element>
  <element name="cantidadBloqueos" type="long"
  maxOccurs="1" minOccurs="0"></element>
</sequence>
</complexType>

<complexType name="ArrayConjuntosComprobantesFiscalesType">
  <sequence>
    <element name="conjuntoComprobantesFiscales"
      type="tns:ConjuntoComprobantesFiscalesType"
      maxOccurs="unbounded" minOccurs="0"></element>
  </sequence>
</complexType>

<complexType name="ConjuntoComprobantesFiscalesType">
  <sequence>
    <element name="codigoTipoComprobante"
      type="afip:TipoComprobanteSimpleType" maxOccurs="1"
      minOccurs="1"></element>
    <element name="primerNumeroComprobante"
      type="afip:NumeroComprobanteSimpleType" maxOccurs="1"
      minOccurs="1"></element>
    <element name="ultimoNumeroComprobante"

```

ai  
 [Handwritten signature]  
 [Handwritten signature]  
 [Handwritten signature]  
 [Handwritten signature]  
 [Handwritten signature]  
 [Handwritten signature]

```

    type="afip:NumeroComprobanteSimpleType" maxOccurs="1"
    minOccurs="1"></element>
<element name="cantidadComprobantes" type="long"
maxOccurs="1" minOccurs="1"></element>
  <element name="importeTotalGravado"
type="afip:ImporteTotalSimpleType" maxOccurs="1"
minOccurs="1"></element>
  <element name="importeTotalNoGravado"
type="afip:ImporteTotalSimpleType" maxOccurs="1"
minOccurs="1"></element>
  <element name="importeTotalExento"
type="afip:ImporteTotalSimpleType" maxOccurs="1"
minOccurs="1"></element>
<element name="arraySubtotalesIVA"
type="afip:ArraySubtotalesIVAType" maxOccurs="1"
minOccurs="1"></element>
<element name="arrayOtrosTributos"
type="tns:ArrayOtrosTributosSinDetalleType" maxOccurs="1"
minOccurs="1"></element>
  <element name="importeTotalDescuentosCod99"
type="afip:ImporteTotalSimpleType" maxOccurs="1"
minOccurs="1"></element>
  <element name="importeTotalComprobantes"
type="afip:ImporteTotalSimpleType" maxOccurs="1"
minOccurs="1"></element>
  <element name="cantidadComprobantesCancelados"
type="long" maxOccurs="1" minOccurs="1"></element>
</sequence>
</complexType>

<complexType name="ArrayConjuntosComprobantesNoFiscHomoType">
  <sequence>
    <element name="conjuntoComprobantesNoFiscaHomo"
type="tns:ConjuntoComprobantesNoFiscHomoType"
maxOccurs="unbounded" minOccurs="0"></element>
  </sequence>
</complexType>

<complexType name="ConjuntoComprobantesNoFiscHomoType">
  <sequence>
    <element name="codigoTipoComprobante"
type="afip:TipoComprobanteSimpleType" maxOccurs="1"
minOccurs="1"></element>
    <element name="primerNumeroComprobante"
type="afip:NumeroComprobanteSimpleType" maxOccurs="1"
minOccurs="1"></element>
    <element name="ultimoNumeroComprobante"
type="afip:NumeroComprobanteSimpleType" maxOccurs="1"
minOccurs="1"></element>
    <element name="cantidadComprobantes" type="long"
maxOccurs="1" minOccurs="1"></element>
    <element name="importeFinalComprobantes"
type="afip:ImporteTotalSimpleType" maxOccurs="1"
minOccurs="0"></element>
  </sequence>
</complexType>

```

```

<complexType name="ArrayOtrosTributosSinDetalleType">
  <sequence>
    <element name="otroTributo"
      type="tns:OtroTributoSinDetalleType" maxOccurs="unbounded"
      minOccurs="0"></element>
  </sequence>
</complexType>

```

```

<complexType name="OtroTributoSinDetalleType">
  <sequence>
    <element name="codigo" type="short" maxOccurs="1"
      minOccurs="1"></element>
    <element name="importe"
      type="afip:ImporteTotalSimpleType" maxOccurs="1"
      minOccurs="1"></element>
  </sequence>
</complexType>

```

```
</schema>
```

### 4.3. COMPROBANTES FISCALES

```

<?xml version="1.0" encoding="UTF-8"?>
<schema xmlns="http://www.w3.org/2001/XMLSchema"
  targetNamespace="http://ar.gob.afip.controladorfiscal/comprobantes"
  xmlns:tns="http://ar.gob.afip.controladorfiscal/comprobantes"
  elementFormDefault="unqualified" xmlns:afip="http://ar.gob.afip.controladorfiscal/afip">

```

```

  <import schemaLocation="afip.xsd"
    namespace="http://ar.gob.afip.controladorfiscal/afip"></import>

```

```

  <element name="comprobantes" type="tns:ArrayComprobantesType"></element>

```

```

  <complexType name="ArrayComprobantesType">
    <sequence>
      <element name="comprobante" type="tns:ComprobanteType"
        maxOccurs="unbounded" minOccurs="0"></element>
    </sequence>
  </complexType>

```

```

  <complexType name="ComprobanteType">
    <sequence>
      <element name="codigoTipoComprobante"
        type="afip:TipoComprobanteSimpleType" maxOccurs="1"
        minOccurs="1"></element>
      <element name="textoLogo" type="string" maxOccurs="1"
        minOccurs="0"></element>
      <element name="emisor" type="afip:EmisorType" maxOccurs="1"
        minOccurs="1"></element>
      <element name="controladorFiscal" type="afip:ControladorFiscalType"
        maxOccurs="1" minOccurs="1"></element>
      <element name="numeroComprobante"
        type="afip:NumeroComprobanteSimpleType" maxOccurs="1"
        minOccurs="1"></element>
      <element name="idImpositivoReceptor" type="short" maxOccurs="1"
        minOccurs="1"></element>
    </sequence>
  </complexType>

```

Handwritten signatures and initials on the left margin, including a large 'A' and other illegible marks.

```

<element name="fechaHoraEmision" type="dateTime" maxOccurs="1"
  minOccurs="1"></element>
<element name="codigoMoneda" type="string" maxOccurs="1"
  minOccurs="1"></element>
<element name="cotizacionMoneda" type="afip:DecimalSimpleType"
  maxOccurs="1" minOccurs="1"></element>
<element name="razonSocialReceptor" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="domicilioComercialReceptor" type="string"
  maxOccurs="1" minOccurs="0"></element>
<element name="codigoTipoDocReceptor" type="short" maxOccurs="1"
  minOccurs="0"></element>
<element name="numeroDocReceptor" type="long" maxOccurs="1"
  minOccurs="0"></element>
<element name="textoLibre1" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="textoLibre2" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="textoLibre3" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeGravado" type="afip:ImporteTotalSimpleType"
  maxOccurs="1" minOccurs="0"></element>
<element name="importeNoGravado"
  type="afip:ImporteTotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeExento" type="afip:ImporteTotalSimpleType"
  maxOccurs="1" minOccurs="0"></element>
<element name="importeOtrosTributos"
  type="afip:ImporteTotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeTotal" type="afip:ImporteTotalSimpleType"
  maxOccurs="1" minOccurs="1"></element>
<element name="anulado" type="afip:SiNoSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="cantHojas" type="short" maxOccurs="1"
  minOccurs="0"></element>
<element name="arrayTransportes" type="afip:ArrayTransportesType"
  maxOccurs="1" minOccurs="0"></element>
<element name="arrayFormasPago" type="afip:ArrayFormasPagoType"
  maxOccurs="1" minOccurs="1"></element>
<element name="arrayComprobantesAsociados"
  type="afip:ArrayComprobantesAsociadosType" maxOccurs="1"
  minOccurs="0"></element>
<element name="arrayItems" type="afip:ArrayItemsType"
  maxOccurs="1" minOccurs="1"></element>
<element name="arrayOtrosTributos"
  type="afip:ArrayOtrosTributosType" maxOccurs="1"
  minOccurs="0"></element>
<element name="arraySubtotalesIVA"
  type="afip:ArraySubtotalesIVAType" maxOccurs="1"
  minOccurs="0"></element>

```

</sequence>

</complexType>

</schema>

#### 4.4 COMPROBANTES NO FISCALES

```

<?xml version="1.0" encoding="UTF-8"?>
<schema xmlns="http://www.w3.org/2001/XMLSchema"
targetNamespace="http://ar.gob.afip.controladorfiscal/comprobantes_nf"
xmlns:tns="http://ar.gob.afip.controladorfiscal/comprobantes_nf"
elementFormDefault="unqualified" xmlns:afip="http://ar.gob.afip.controladorfiscal/afip">

  <import schemaLocation="afip.xsd"
namespace="http://ar.gob.afip.controladorfiscal/afip"></import>

  <element name="comprobantes" type="tns:ArrayComprobantesNFType"></element>

  <complexType name="ArrayComprobantesNFType">
    <sequence>
      <element name="comprobante" type="tns:ComprobanteNFType"
maxOccurs="unbounded" minOccurs="0"></element>
    </sequence>
  </complexType>

  <complexType name="ComprobanteNFType">
    <sequence>
      <element name="codigoTipoComprobante"
type="afip:TipoComprobanteSimpleType" maxOccurs="1"
minOccurs="1"></element>
      <element name="textoLogo" type="string" maxOccurs="1"
minOccurs="0"></element>
      <element name="emisor" type="afip:EmisorType" maxOccurs="1"
minOccurs="1"></element>
      <element name="controladorFiscal" type="afip:ControladorFiscalType"
maxOccurs="1" minOccurs="1"></element>
      <element name="numeroComprobante"
type="afip:NumeroComprobanteSimpleType" maxOccurs="1"
minOccurs="1"></element>
      <element name="idlmpositivoReceptor" type="short" maxOccurs="1"
minOccurs="0"></element>
      <element name="fechaHoraEmision" type="dateTime" maxOccurs="1"
minOccurs="1"></element>
      <element name="codigoMoneda" type="string" maxOccurs="1"
minOccurs="0"></element>
      <element name="cotizacionMoneda" type="afip:DecimalSimpleType"
maxOccurs="1" minOccurs="0"></element>
      <element name="razonSocialReceptor" type="string" maxOccurs="1"
minOccurs="0"></element>
      <element name="domicilioComercialReceptor" type="string"
maxOccurs="1" minOccurs="0"></element>
      <element name="codigoTipoDocReceptor" type="short" maxOccurs="1"
minOccurs="0"></element>
      <element name="numeroDocReceptor" type="long" maxOccurs="1"
minOccurs="0"></element>
      <element name="textoLibre1" type="string" maxOccurs="1"
minOccurs="0"></element>
      <element name="textoLibre2" type="string" maxOccurs="1"
minOccurs="0"></element>
      <element name="textoLibre3" type="string" maxOccurs="1"
minOccurs="0"></element>
    </sequence>
  </complexType>

```

```

<element name="importeGravado" type="afip:ImporteTotalSimpleType"
  maxOccurs="1" minOccurs="0"></element>
<element name="importeNoGravado"
  type="afip:ImporteTotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeExento" type="afip:ImporteTotalSimpleType"
  maxOccurs="1" minOccurs="0"></element>
<element name="importeOtrosTributos"
  type="afip:ImporteTotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeFinal" type="afip:ImporteTotalSimpleType"
  maxOccurs="1" minOccurs="0"></element>
<element name="anulado" type="afip:SiNoSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="cantHojas" type="short" maxOccurs="1"
  minOccurs="0"></element>
<element name="cuitTransportista" type="afip:CUITSimpleType"
  maxOccurs="1" minOccurs="0"></element>
<element name="razonSocialTransportista" type="string"
  maxOccurs="1" minOccurs="0"></element>
<element name="domicilioComercialTransportista" type="string"
  maxOccurs="1" minOccurs="0"></element>
<element name="codigoTipoDocChofer" type="short" maxOccurs="1"
  minOccurs="0"></element>
<element name="numeroDocChofer" type="long" maxOccurs="1"
  minOccurs="0"></element>
<element name="apellidoNombreChofer" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="dominio1" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="dominio2" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="arrayTransportes" type="afip:ArrayTransportesType"
  maxOccurs="1" minOccurs="0"></element>
<element name="arrayFormasPago" type="afip:ArrayFormasPagoType"
  maxOccurs="1" minOccurs="0"></element>
<element name="arrayComprobantesAsociados"
  type="afip:ArrayComprobantesAsociadosType" maxOccurs="1"
  minOccurs="0"></element>
<element name="arrayItems" type="afip:ArrayItemsNFType"
  maxOccurs="1" minOccurs="1"></element>
<element name="arrayOtrosTributos"
  type="afip:ArrayOtrosTributosType" maxOccurs="1"
  minOccurs="0"></element>
<element name="arraySubtotalesIVA"
  type="afip:ArraySubtotalesIVAType" maxOccurs="1"
  minOccurs="0"></element>

```

</sequence>

</complexType>

</schema>

#### 4.5. RESUMENES DE TOTALES

```

<?xml version="1.0" encoding="UTF-8"?>
<schema xmlns="http://www.w3.org/2001/XMLSchema"

```

targetNamespace="http://ar.gob.afip.controladorfiscal/comprobantes\_auditoria"  
 xmlns:tns="http://ar.gob.afip.controladorfiscal/comprobantes\_auditoria"  
 elementFormDefault="unqualified" xmlns:afip="http://ar.gob.afip.controladorfiscal/afip"  
 xmlns:cdz="http://ar.gob.afip.controladorfiscal/cierre\_diario\_z">

```

<import schemaLocation="afip.xsd"
  namespace="http://ar.gob.afip.controladorfiscal/afip"></import>
<import schemaLocation="cierre_diario_z.xsd"
  namespace="http://ar.gob.afip.controladorfiscal/cierre_diario_z"></import>

<element name="auditoria" type="tns:AuditoriaType"></element>

<complexType name="AuditoriaType">
  <sequence>
    <element name="emisor" type="afip:EmisorType" maxOccurs="1"
      minOccurs="1"></element>
    <element name="controladorFiscal" type="afip:ControladorFiscalType"
      maxOccurs="1" minOccurs="1"></element>
    <element name="fechaHoraEmisionAuditoria" type="dateTime"
      maxOccurs="1" minOccurs="1"></element>
    <element name="arrayComprobantesAuditoria"
      type="tns:ArrayComprobantesAuditoriaType" maxOccurs="1"
      minOccurs="1"></element>
    <element name="codigoTipoInfRep"
      type="afip:TipoComprobanteSimpleType" maxOccurs="1"
      minOccurs="1"></element>
  </sequence>
</complexType>

<complexType name="ArrayComprobantesAuditoriaType">
  <sequence>
    <element name="comprobanteAuditoria"
      type="tns:ComprobanteAuditoriaType" maxOccurs="unbounded"
      minOccurs="0"></element>
  </sequence>
</complexType>

<complexType name="ComprobanteAuditoriaType">
  <sequence>
    <element name="numeroAuditoria" type="long" maxOccurs="1"
      minOccurs="0"></element>
    <element name="rangoSolicitado" type="tns:RangoZType"
      maxOccurs="1" minOccurs="1"></element>
    <element name="rangoEncontrado" type="tns:RangoZType"
      maxOccurs="1" minOccurs="1"></element>
    <element name="arrayCierresZ" type="cdz:ArrayCierresZType"
      maxOccurs="1" minOccurs="1"></element>
    <element name="arrayConjuntosComprobantesFiscales"
      type="cdz:ArrayConjuntosComprobantesFiscalesType"
      maxOccurs="1" minOccurs="1"></element>
    <element name="cantidadComprobantesFiscales" type="long"
      maxOccurs="1" minOccurs="1"></element>
    <element name="totalGravadoComprobantesFiscales"
      type="afip:ImporteSubtotalSimpleType" maxOccurs="1"
      minOccurs="0"></element>
    <element name="totalNoGravadoComprobantesFiscales"
      type="afip:ImporteSubtotalSimpleType" maxOccurs="1"
  
```

Handwritten signatures and initials on the left margin, including a large 'O', 'fm', and several other illegible marks.

```

minOccurs="0"></element>
<element name="totalExentoComprobantesFiscales"
type="afip:ImporteSubtotalSimpleType" maxOccurs="1"
minOccurs="0"></element>
<element name="arraySubtotalesIVA"
type="afip:ArraySubtotalesIVAType" maxOccurs="1"
minOccurs="1"></element>
<element name="arrayOtrosTributos"
type="cdz:ArrayOtrosTributosSinDetalleType" maxOccurs="1"
minOccurs="1"></element>
<element name="totalDescuentosCod99ComprobantesFiscales"
type="afip:ImporteSubtotalSimpleType" maxOccurs="1"
minOccurs="0"></element>
<element name="importeTotalComprobantesFiscales"
type="afip:ImporteSubtotalSimpleType" maxOccurs="1"
minOccurs="1"></element>
<element name="cantidadComprobantesCancelados" type="long"
maxOccurs="1" minOccurs="1"></element>
<element name="arrayConjuntosComprobantesNoFiscHomo"
type="cdz:ArrayConjuntosComprobantesNoFiscHomoType"
maxOccurs="1" minOccurs="1"></element>
<element name="cantidadBloqueos" type="long" maxOccurs="1"
minOccurs="1"></element>
</sequence>
</complexType>

<complexType name="RangoZType">
<sequence>
<element name="numeroZDesde" type="long" maxOccurs="1"
minOccurs="0"></element>
<element name="numeroZHasta" type="long" maxOccurs="1"
minOccurs="0"></element>
<element name="fechaZDesde" type="date" maxOccurs="1"
minOccurs="1"></element>
<element name="fechaZHasta" type="date" maxOccurs="1"
minOccurs="1"></element>
</sequence>
</complexType>

</schema>

```

**4.6. DISEÑO DE REGISTRO DONACIONES**

```

<?xml version="1.0" encoding="UTF-8"?>
<schema xmlns="http://www.w3.org/2001/XMLSchema"
targetNamespace="http://ar.gob.afip.controladorfiscal/donaciones"
xmlns:tns="http://ar.gob.afip.controladorfiscal/donaciones"
elementFormDefault="unqualified" xmlns:afip="http://ar.gob.afip.controladorfiscal/afip">

<import schemaLocation="afip.xsd"
namespace="http://ar.gob.afip.controladorfiscal/afip"></import>

<element name="duplicadoElectronicoDonacion"
type="tns:DuplicadoElectronicoDonacionesType"></element>

<complexType name="DuplicadoElectronicoDonacionesType">

```

```

<sequence>
  <element name="emisor" type="afip:EmisorType" maxOccurs="1"
    minOccurs="1"></element>
  <element name="controladorFiscal" type="afip:ControladorFiscalType"
    maxOccurs="1" minOccurs="1"></element>
  <element name="arrayGruposComprobantes"
    type="tns:ArrayGruposComprobantesDonacionesType"
    maxOccurs="1" minOccurs="1"></element>
</sequence>
</complexType>

<complexType name="ArrayGruposComprobantesDonacionesType">
  <sequence>
    <element name="grupoComprobanteDonacion"
      type="tns:GrupoComprobanteDonacionType"
      maxOccurs="unbounded" minOccurs="1"></element>
  </sequence>
</complexType>

<complexType name="GrupoComprobanteDonacionType">
  <sequence>
    <element name="codigoTipoComprobante"
      type="afip:TipoComprobanteSimpleType" maxOccurs="1"
      minOccurs="1"></element>
    <element name="arrayDetallesComprobantesDonacion"
      type="tns:ArrayDetallesComprobantesDonacionType" maxOccurs="1"
      minOccurs="1"></element>
  </sequence>
</complexType>

<complexType name="ArrayDetallesComprobantesDonacionType">
  <sequence>
    <element name="detalleComprobanteDonacion"
      type="tns:DetalleComprobanteDonacionType"
      maxOccurs="unbounded" minOccurs="0"></element>
  </sequence>
</complexType>

<complexType name="DetalleComprobanteDonacionType">
  <sequence>
    <element name="numeroComprobante"
      type="afip:NumeroComprobanteSimpleType" maxOccurs="1"
      minOccurs="1"></element>
    <element name="idImpositivoReceptor" type="short" maxOccurs="1"
      minOccurs="0"></element>
    <element name="fechaHoraEmision" type="dateTime" maxOccurs="1"
      minOccurs="1"></element>
    <element name="codigoMoneda" type="string" maxOccurs="1"
      minOccurs="0"></element>
    <element name="cotizacionMoneda" type="afip:DecimalSimpleType"
      maxOccurs="1" minOccurs="0"></element>
    <element name="razonSocialReceptor" type="string" maxOccurs="1"
      minOccurs="0"></element>
    <element name="domicilioComercialReceptor" type="string"
      maxOccurs="1" minOccurs="0"></element>
    <element name="codigoTipoDocReceptor" type="short" maxOccurs="1"
      minOccurs="0"></element>
  </sequence>

```

Handwritten signatures and marks on the left margin, including a large 'O', a signature, and several scribbles.

```

<element name="numeroDocReceptor" type="long" maxOccurs="1"
  minOccurs="0"></element>
<element name="razonSocialBeneficiario" type="string"
  maxOccurs="1" minOccurs="1"></element>
<element name="domicilioComercialBeneficiario" type="string"
  maxOccurs="1" minOccurs="1"></element>
<element name="codigoTipoDocBeneficiario" type="short"
  maxOccurs="1" minOccurs="1"></element>
<element name="numeroDocBeneficiario" type="long" maxOccurs="1"
  minOccurs="1"></element>
<element name="textoLibre1" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="textoLibre2" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="textoLibre3" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeDonacion"
  type="afip:ImporteTotalSimpleType" maxOccurs="1"
  minOccurs="1"></element>
<element name="anulado" type="afip:SiNoSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="arrayFormasPago" type="afip:ArrayFormasPagoType"
  maxOccurs="1" minOccurs="1"></element>
<element name="arrayComprobantesAsociados"
  type="afip:ArrayComprobantesAsociadosType" maxOccurs="1"
  minOccurs="0"></element>
<element name="arrayItemsDonacion"
  type="tns:ArrayItemsDonacionType" maxOccurs="1"
  minOccurs="1"></element>
</sequence>
</complexType>

<complexType name="ArrayItemsDonacionType">
  <sequence>
    <element name="itemDonacion" type="tns:ItemDonacionType"
      maxOccurs="1" minOccurs="1"></element>
  </sequence>
</complexType>

<complexType name="ItemDonacionType">
  <sequence>
    <element name="unidadesMtx" type="int" maxOccurs="1"
      minOccurs="0"></element>
    <element name="codigoMtx" type="string" maxOccurs="1"
      minOccurs="0"></element>
    <element name="codigo" type="string" maxOccurs="1"
      minOccurs="0"></element>
    <element name="descripcion" type="string" maxOccurs="1"
      minOccurs="1"></element>
    <element name="cantidad" type="afip:DecimalSimpleType"
      maxOccurs="1" minOccurs="1"></element>
    <element name="codigoUnidadMedida" type="short" maxOccurs="1"
      minOccurs="1"></element>
    <element name="importeItemDonacion"
      type="afip:ImporteDonacionSimpleType" maxOccurs="1"
      minOccurs="1"></element>
  </sequence>

```

</complexType>

</schema>

#### 4.7. DUPLICADOS ELECTRÓNICOS

```
<?xml version="1.0" encoding="UTF-8"?>
<schema xmlns="http://www.w3.org/2001/XMLSchema"
targetNamespace="http://ar.gob.afip.controladorfiscal/duplicados_electronicos"
xmlns:tns="http://ar.gob.afip.controladorfiscal/duplicados_electronicos"
elementFormDefault="unqualified" xmlns:afip="http://ar.gob.afip.controladorfiscal/afip">
```

```
<import schemaLocation="afip.xsd"
namespace="http://ar.gob.afip.controladorfiscal/afip"></import>

<element name="duplicadoElectronico"
type="tns:DuplicadoElectronicoType"></element>

<complexType name="DuplicadoElectronicoType">
<sequence>
<element name="emisor" type="afip:EmisorType" maxOccurs="1"
minOccurs="1"></element>
<element name="controladorFiscal"
type="afip:ControladorFiscalType" maxOccurs="1"
minOccurs="1"></element>
<element name="arrayGruposComprobantes"
type="tns:ArrayGruposComprobantesType" maxOccurs="1"
minOccurs="1"></element>
</sequence>
</complexType>

<complexType name="ArrayGruposComprobantesType">
<sequence>
<element name="grupoComprobantes"
type="tns:GrupoComprobanteType" maxOccurs="unbounded"
minOccurs="1"></element>
</sequence>
</complexType>

<complexType name="GrupoComprobanteType">
<sequence>
<element name="codigoTipoComprobante"
type="afip:TipoComprobanteSimpleType" maxOccurs="1"
minOccurs="1"></element>
<element name="arrayDetallesComprobantes"
type="tns:ArrayDetallesComprobantesType" maxOccurs="1"
minOccurs="1"></element>
</sequence>
</complexType>

<complexType name="ArrayDetallesComprobantesType">
<sequence>
<element name="detalleComprobante"
type="tns:DetalleComprobanteType" maxOccurs="unbounded"
minOccurs="0"></element>
</sequence>
```

</complexType>

<complexType name="DetalleComprobanteType">

<sequence>

```

<element name="numeroComprobante"
  type="afip:NumeroComprobanteSimpleType" maxOccurs="1"
  minOccurs="1"></element>
<element name="idImpositivoReceptor" type="short" maxOccurs="1"
  minOccurs="1"></element>
<element name="fechaHoraEmision" type="dateTime"
  maxOccurs="1" minOccurs="1"></element>
<element name="codigoMoneda" type="string" maxOccurs="1"
  minOccurs="1"></element>
<element name="cotizacionMoneda" type="afip:DecimalSimpleType"
  maxOccurs="1" minOccurs="1"></element>
<element name="razonSocialReceptor" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="domicilioComercialReceptor" type="string"
  maxOccurs="1" minOccurs="0"></element>
<element name="codigoTipoDocReceptor" type="short"
  maxOccurs="1" minOccurs="0"></element>
<element name="numeroDocReceptor" type="long" maxOccurs="1"
  minOccurs="0"></element>
<element name="textoLibre1" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="textoLibre2" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="textoLibre3" type="string" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeGravado"
  type="afip:ImporteTotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeNoGravado"
  type="afip:ImporteTotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeExento"
  type="afip:ImporteTotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeOtrosTributos"
  type="afip:ImporteTotalSimpleType" maxOccurs="1"
  minOccurs="0"></element>
<element name="importeTotal" type="afip:ImporteTotalSimpleType"
  maxOccurs="1" minOccurs="1"></element>
<element name="anulado" type="afip:SiNoSimpleType"
  maxOccurs="1" minOccurs="0"></element>
<element name="cantHojas" type="short" maxOccurs="1"
  minOccurs="0"></element>
<element name="arrayTransportes"
  type="afip:ArrayTransportesType" maxOccurs="1"
  minOccurs="0"></element>
<element name="arrayFormasPago"
  type="afip:ArrayFormasPagoType" maxOccurs="1"
  minOccurs="1"></element>
<element name="arrayComprobantesAsociados"
  type="afip:ArrayComprobantesAsociadosType" maxOccurs="1"
  minOccurs="0"></element>
<element name="arrayItems" type="afip:ArrayItemsType"
  
```

*[Handwritten marks]*

```

        maxOccurs="1" minOccurs="1"></element>
    <element name="arrayOtrosTributos"
        type="afip:ArrayOtrosTributosType" maxOccurs="1"
        minOccurs="0"></element>
    <element name="arraySubtotalesIVA"
        type="afip:ArraySubtotalesIVAType" maxOccurs="1"
        minOccurs="0"></element>
</sequence>
</complexType>
</schema>

```

#### 4.8. DUPLICADOS ELECTRÓNICOS NO FISCALES

*[Handwritten marks]*

```

<?xml version="1.0" encoding="UTF-8"?>
<schema xmlns="http://www.w3.org/2001/XMLSchema"
targetNamespace="http://ar.gob.afip.controladorfiscal/duplicados_electronicos_nf"
xmlns:tns="http://ar.gob.afip.controladorfiscal/duplicados_electronicos_nf"
elementFormDefault="unqualified" xmlns:afip="http://ar.gob.afip.controladorfiscal/afip">

    <import schemaLocation="afip.xsd"
        namespace="http://ar.gob.afip.controladorfiscal/afip"></import>

    <element name="duplicadoElectronico"
        type="tns:DuplicadoElectronicoNFType"></element>

    <complexType name="DuplicadoElectronicoNFType">
        <sequence>
            <element name="emisor" type="afip:EmisorType" maxOccurs="1"
                minOccurs="1"></element>
            <element name="controladorFiscal" type="afip:ControladorFiscalType"
                maxOccurs="1" minOccurs="1"></element>
            <element name="arrayGruposComprobantes"
                type="tns:ArrayGruposComprobantesNFType" maxOccurs="1"
                minOccurs="1"></element>
        </sequence>
    </complexType>

    <complexType name="ArrayGruposComprobantesNFType">
        <sequence>
            <element name="grupoComprobantes"
                type="tns:GrupoComprobanteNFType" maxOccurs="unbounded"
                minOccurs="1"></element>
        </sequence>
    </complexType>

    <complexType name="GrupoComprobanteNFType">
        <sequence>
            <element name="codigoTipoComprobante"
                type="afip:TipoComprobanteSimpleType" maxOccurs="1"
                minOccurs="1"></element>
            <element name="arrayDetallesComprobantes"
                type="tns:ArrayDetallesComprobantesNFType" maxOccurs="1"
                minOccurs="1"></element>
        </sequence>
    </complexType>

```

```

<complexType name="ArrayDetallesComprobantesNFType">
  <sequence>
    <element name="detalleComprobante"
      type="tns:DetalleComprobanteNFType" maxOccurs="unbounded"
      minOccurs="0"></element>
  </sequence>
</complexType>

<complexType name="DetalleComprobanteNFType">
  <sequence>
    <element name="numeroComprobante"
      type="afip:NumeroComprobanteSimpleType" maxOccurs="1"
      minOccurs="1"></element>
    <element name="idImpositivoReceptor" type="short" maxOccurs="1"
      minOccurs="0"></element>
    <element name="fechaHoraEmision" type="dateTime" maxOccurs="1"
      minOccurs="1"></element>
    <element name="codigoMoneda" type="string" maxOccurs="1"
      minOccurs="0"></element>
    <element name="cotizacionMoneda" type="afip:DecimalSimpleType"
      maxOccurs="1" minOccurs="0"></element>
    <element name="razonSocialReceptor" type="string" maxOccurs="1"
      minOccurs="0"></element>
    <element name="domicilioComercialReceptor" type="string"
      maxOccurs="1" minOccurs="0"></element>
    <element name="codigoTipoDocReceptor" type="short" maxOccurs="1"
      minOccurs="0"></element>
    <element name="numeroDocReceptor" type="long" maxOccurs="1"
      minOccurs="0"></element>
    <element name="textoLibre1" type="string" maxOccurs="1"
      minOccurs="0"></element>
    <element name="textoLibre2" type="string" maxOccurs="1"
      minOccurs="0"></element>
    <element name="textoLibre3" type="string" maxOccurs="1"
      minOccurs="0"></element>
    <element name="importeGravado" type="afip:ImporteTotalSimpleType"
      maxOccurs="1" minOccurs="0"></element>
    <element name="importeNoGravado"
      type="afip:ImporteTotalSimpleType" maxOccurs="1"
      minOccurs="0"></element>
    <element name="importeExento" type="afip:ImporteTotalSimpleType"
      maxOccurs="1" minOccurs="0"></element>
    <element name="importeOtrosTributos"
      type="afip:ImporteTotalSimpleType" maxOccurs="1"
      minOccurs="0"></element>
    <element name="importeFinal" type="afip:ImporteTotalSimpleType"
      maxOccurs="1" minOccurs="0"></element>
    <element name="anulado" type="afip:SiNoSimpleType" maxOccurs="1"
      minOccurs="0"></element>
    <element name="cantHojas" type="short" maxOccurs="1"
      minOccurs="0"></element>
    <element name="cuitTransportista" type="afip:CUITSimpleType"
      maxOccurs="1" minOccurs="0"></element>
    <element name="razonSocialTransportista" type="string"
      maxOccurs="1" minOccurs="0"></element>
    <element name="domicilioComercialTransportista" type="string"
  
```

```
maxOccurs="1" minOccurs="0"></element>
<element name="codigoTipoDocChofer" type="short" maxOccurs="1"
minOccurs="0"></element>
<element name="numeroDocChofer" type="long" maxOccurs="1"
minOccurs="0"></element>
<element name="apellidoNombreChofer" type="string" maxOccurs="1"
minOccurs="0"></element>
<element name="dominio1" type="string" maxOccurs="1"
minOccurs="0"></element>
<element name="dominio2" type="string" maxOccurs="1"
minOccurs="0"></element>
<element name="arrayTransportes" type="afip:ArrayTransportesType"
maxOccurs="1" minOccurs="0"></element>
<element name="arrayFormasPago" type="afip:ArrayFormasPagoType"
maxOccurs="1" minOccurs="0"></element>
<element name="arrayComprobantesAsociados"
type="afip:ArrayComprobantesAsociadosType" maxOccurs="1"
minOccurs="0"></element>
<element name="arrayItems" type="afip:ArrayItemsNFType"
maxOccurs="1" minOccurs="1"></element>
<element name="arrayOtrosTributos"
type="afip:ArrayOtrosTributosType" maxOccurs="1"
minOccurs="0"></element>
<element name="arraySubtotalesIVA"
type="afip:ArraySubtotalesIVAType" maxOccurs="1"
minOccurs="0"></element>
```

```
</sequence>
```

```
</complexType>
```

```
</schema>
```

#### 4.9. RESUMEN INFORME DE OPERACIONES ORDENADO POR PRODUCTOS, POR EL PERÍODO SEMANAL

```

<?xml version="1.0" encoding="UTF-8"?>
<schema xmlns="http://www.w3.org/2001/XMLSchema"
targetNamespace="http://ar.gob.afip.controladorfiscal/reporte_semanal_matrix"
xmlns:tns="http://ar.gob.afip.controladorfiscal/reporte_semanal_matrix"
elementFormDefault="unqualified" xmlns:afip="http://ar.gob.afip.controladorfiscal/afip">

  <import schemaLocation="afip.xsd"
    namespace="http://ar.gob.afip.controladorfiscal/afip"></import>

  <element name="presentacionDDJJMatrix"
    type="tns:PresentacionDDJJMatrixType"></element>

  <complexType name="PresentacionDDJJMatrixType">
    <sequence>
      <element name="emisor" type="afip:EmisorType" maxOccurs="1"
        minOccurs="1"></element>
      <element name="controladorFiscal" type="afip:ControladorFiscalType"
        maxOccurs="1" minOccurs="1"></element>
      <element name="codigoTipoInfRep"
        type="afip:TipoComprobanteSimpleType" maxOccurs="1"
        minOccurs="1"></element>
      <element name="fechaHoraEmisionPresentacion" type="dateTime"
        maxOccurs="1" minOccurs="1"></element>
      <element name="arrayDDJJMatrix" type="tns:ArrayDDJJMatrixType"
        maxOccurs="1" minOccurs="1"></element>
    </sequence>
  </complexType>

  <complexType name="ArrayDDJJMatrixType">
    <sequence>
      <element name="djMatrix" type="tns:DJMatrixType"
        maxOccurs="unbounded" minOccurs="0"></element>
    </sequence>
  </complexType>

  <complexType name="DJMatrixType">
    <sequence>
      <element name="numeroDJMatrix" type="long" maxOccurs="1"
        minOccurs="1"></element>
      <element name="fechaDesdeSolicitada" type="date" maxOccurs="1"
        minOccurs="1"></element>
      <element name="fechaHastaSolicitada" type="date" maxOccurs="1"
        minOccurs="1"></element>
      <element name="importeTotalPeriodo"
        type="afip:ImporteSubtotalSimpleType" maxOccurs="1"
        minOccurs="1"></element>
      <element name="importeIVAPeriodo"
        type="afip:ImporteSubtotalSimpleType" maxOccurs="1"
        minOccurs="1"></element>
      <element name="importeTotalDonacionPeriodo"
        type="afip:ImporteDonacionSimpleType" maxOccurs="1"
        minOccurs="1"></element>
      <element name="arrayItemsTotalizados"

```

```

        type="tns:ArrayItemsTotalizadosType" maxOccurs="1"
        minOccurs="1"></element>
    <element name="arrayDonacionesTotalizadas"
        type="tns:ArrayDonacionesTotalizadasType" maxOccurs="1"
        minOccurs="1"></element>
    </sequence>
</complexType>

<complexType name="ArrayItemsTotalizadosType">
    <sequence>
        <element name="itemTotalizado" type="tns:ItemTotalizadoType"
            maxOccurs="unbounded" minOccurs="0"></element>
    </sequence>
</complexType>

<complexType name="ItemTotalizadoType">
    <sequence>
        <element name="unidadesMtx" type="int" maxOccurs="1"
            minOccurs="0"></element>
        <element name="codigoMtx" type="string" maxOccurs="1"
            minOccurs="0"></element>
        <element name="codigo" type="string" maxOccurs="1"
            minOccurs="0"></element>
        <element name="cantidad" type="afip:DecimalSimpleType"
            maxOccurs="1" minOccurs="0"></element>
        <element name="codigoUnidadMedida" type="short" maxOccurs="1"
            minOccurs="1"></element>
        <element name="arrayPreciosUnitariosFechas"
            type="tns:ArrayPreciosUnitariosFechasType" maxOccurs="1"
            minOccurs="1"></element>
        <element name="codigoCondicionIVA" type="short" maxOccurs="1"
            minOccurs="1"></element>
        <element name="porcentajeIVA" type="afip:PorcentajeSimpleType"
            maxOccurs="1" minOccurs="0"></element>
        <element name="importeIVA" type="afip:ImporteSubtotalSimpleType"
            maxOccurs="1" minOccurs="0"></element>
    </sequence>
</complexType>

<complexType name="ArrayPreciosUnitariosFechasType">
    <sequence>
        <element name="precioUnitarioFecha"
            type="tns:PrecioUnitarioFechasType" maxOccurs="unbounded"
            minOccurs="1"></element>
    </sequence>
</complexType>

<complexType name="PrecioUnitarioFechasType">
    <sequence>
        <element name="cantidad" type="afip:DecimalSimpleType"
            maxOccurs="1" minOccurs="1"></element>
        <element name="fechaDesde" type="date" maxOccurs="1"
            minOccurs="1"></element>
        <element name="fechaHasta" type="date" maxOccurs="1"
            minOccurs="1"></element>
        <element name="precioUnitario" type="afip:DecimalSimpleType"
            maxOccurs="1" minOccurs="1"></element>
    </sequence>

```

```

<element name="importeBonificacionUnitario"
  type="afip:DecimalSimpleType" maxOccurs="1"
  minOccurs="1"></element>
</sequence>
</complexType>

<complexType name="ArrayDonacionesTotalizadasType">
  <sequence>
    <element name="donacionTotalizada"
      type="tns:DonacionTotalizadaType" maxOccurs="unbounded"
      minOccurs="0"></element>
  </sequence>
</complexType>

<complexType name="DonacionTotalizadaType">
  <sequence>
    <element name="codigoTipoDocBeneficiario" type="int"
      maxOccurs="1" minOccurs="1"></element>
    <element name="numeroDocBeneficiario" type="string"
      maxOccurs="1" minOccurs="1"></element>
    <element name="razonSocialBeneficiario" type="string"
      maxOccurs="1" minOccurs="1"></element>
    <element name="importeTotalDonacionBeneficiario"
      type="afip:ImporteDonacionSimpleType" maxOccurs="1"
      minOccurs="1"></element>
    <element name="arrayDonantesTotalizados"
      type="tns:ArrayDonantesTotalizadosType" maxOccurs="unbounded"
      minOccurs="1"></element>
  </sequence>
</complexType>

<complexType name="ArrayDonantesTotalizadosType">
  <sequence>
    <element name="donanteTotalizado"
      type="tns:DonanteTotalizadoType" maxOccurs="unbounded"
      minOccurs="1"></element>
  </sequence>
</complexType>

<complexType name="DonanteTotalizadoType">
  <sequence>
    <element name="codigoTipoDocDonante" type="int" maxOccurs="1"
      minOccurs="1"></element>
    <element name="numeroDocDonante" type="string" maxOccurs="1"
      minOccurs="1"></element>
    <element name="razonSocialDonante" type="string" maxOccurs="1"
      minOccurs="1"></element>
    <element name="importeTotalDonacionDonante"
      type="afip:DecimalSimpleType" maxOccurs="1"
      minOccurs="1"></element>
  </sequence>
</complexType>
</schema>

```

**4.10. COMPROBANTES FISCALES Y REPORTE**

*(Diseños de registro que se acompañan como archivos Excel)*

4.10.1. Aclaraciones

4.10.2. Comprobantes Fiscales Homologados

4.10.3. Duplicado electrónico de Comprobantes Fiscales

4.10.4. Informe Diario de Cierre

4.10.5. Informe de Auditoría / Reporte Resumen de Totales

4.10.6. Resumen Informe de Operaciones (ordenado por productos, por el período semanal correspondiente).

**4.11. COMPROBANTES NO FISCALES Y REPORTE**

*(Diseños de registro que se acompañan como archivos Excel)*

4.11.1. Aclaraciones

4.11.2. Comprobantes No Fiscales Homologados

4.11.3. Duplicado Electrónico de Comprobante No Fiscal Homologado

4.11.4. Comprobantes Donaciones

4.11.5. Duplicado Electrónico de Comprobante Donación